



Artistic Pools



PROUDLY
MADE IN THE



USA

... QUALITY FIBERGLASS POOLS SINCE 1958 ...



2312 Wallace Blvd • Cinnaminson, NJ 08077

email: mark@artisticpools.us

856-287-3222

www.ArtisticPoolsCorp.com





National Dealer of the Year

Mark Peditto (*President*) and Michael Neri (*Vice President*), CO-Founders of Artistic Pools Corp have been a leading installer and Distributor of San Juan Pools Since 2003. Our business model is like a well-oiled machine. In the early stages we doubled our business the first 3 years and now lead the nation in sales, Installing nearly 100 San Juan Fiberglass Pools a year! We pride ourselves on customer service and best installation practices. Our 5 Star review ratings on multiple review platforms show the high value we place on customer satisfaction.

Artistic Pools now has over 600 San Juan Fiberglass Pools installed throughout NJ, PA and DE. We have been the Northeast Distribution hub for San Juan Pools since joining forces in 2003. Since then Artistic Pools has distributed more than 1,500 San Juan pools in the Northeast.

You see when you choose Artistic Pools...you choose a family that's dedicated to making sure your project goes just as planned. We all share the same goals and aspirations and that's giving you the absolute best Fiberglass Pool the industry has to offer along with the best staff and craftsman to build your DREAM POOL. From the initial meeting with Craig Schaal our VP of Sales to the final walk through you will feel confident "you've made the right choice".



Artistic Pools was awarded the San Juan Pools National Dealer of the year



609-352-7069
**ONE DAY
INSTALL**
WWW.ARTISTICPOOLSCORP.COM

Get an Instant Quote Now at:
**[www.artisticpoolscorp.com/
fiberglass-pools-quote](http://www.artisticpoolscorp.com/fiberglass-pools-quote)**




Visit us on
[facebook.com/
ArtisticPoolsCorporation](https://www.facebook.com/ArtisticPoolsCorporation)

Mark Peditto's
609-352-7069

Mike Neri's
609-685-0616

Craig Schaal's
856-287-3222



World's Largest Fiberglass Pool

San Juan Fiberglass Pools'
Satin Smooth Finishes




White



Sully Blue



Blue Lagoon



Granite




HONOR PROGRAM

For many years San Juan Pools has paid tribute to the Disabled Veterans of our armed forces by donating an installed San Juan Fiberglass pool to aid in their recovery. This year we have taken a larger step in honoring the military personnel of the United States Army, Navy, Air Force, Marine Corps and Coast Guard by establishing a special "HONOR PROGRAM" whereby a contribution towards their unselfish service to our country can be made.

San Juan Builds The Strongest Pools In The World!

100% Proprietary Vinyl Ester Resin Throughout Pool
100% Hand Laid Fiberglass (NO Chop)



TIME LAPSE
Building a SJP Pool



TIME LAPSE
Installing a SJP Pool



For all ACTIVE DUTY and RETIRED MILITARY PERSONNEL San Juan Pools has initiated an HONOR PAYMENT PROGRAM for each San Juan Fiberglass pools purchased. An Honor Payment will be sent to you by US Mail upon receipt of the payment certificate. For each of you who purchase a San Juan pool shell we will send your certificate to you upon receipt of your completed warranty form and active duty or retired support document. Your payment will vary according to pool shell size listed below.

Pool Buying Comparative

| FEATURES | San Juan Fiberglass Pools Benefits | vs. Gunite Difference | vs. Vinyl liner Difference |
|--------------------|---|--|--|
| Product Durability | All-weather tolerant, stress-free, pet friendly, 17x stronger than concrete (flexural strength) | Rigid, cracks with movement | Punctures and tears (not pet friendly) |
| Product Quality | Manufactured, controlled quality assurance process | On-site constructed, quality dependent on work force | Pre-fabricated liner, site assembled walls |
| Repairs | Requires no maintenance | Acid washes, remarcite, plaster & paint required | Liner replacements, tears, pulls from coping |
| Surface Texture | Smooth, silky feel | Very rough, equal to 80 grit sandpaper | Slippery, rough seams |
| Algae Treatment | Algae-resistant, cannot adhere to pool surface | Constant, grows through walls, attaches to pores | Troublesome, grows in seams, mildews into soil through liner |
| Care & Maintenance | Less than an hour weekly | 7 hours/ week | 3 hours/ week |
| Chemical Usage | Minimal required | Considerably more required (water and vessel) | Slightly more required (water and vessel) |
| Design Options | 100+ models | Unlimited | Can be limited |
| Electrical Usage | Circulate 4 - 6 hours/ day | Circulate 10 hours/ day | Circulate 6 - 8 hrs/ day |
| Installation Time | Within days (dependent | 8 + weeks | 2 - 5 weeks |
| Pool Access | Seamless stairs, swim outs, benches, sundecks | Shallow end stairs (additions at a cost) | Drop in type or ladders |
| Warranty | 25 year (structural) non-prorated | Commonly only one year by contractor | Only if seam separates pro-rated |

Fiberglass Pool Construction Comparative

| Features | San Juan Fiberglass Pools Benefits | Chopped / Composite Fiberglass Pools Difference |
|-------------------|--|--|
| Gel Coat | 32-Mil total, two 16-Mil separate layers | As low as 15-Mil |
| Vinyl Ester Resin | Used throughout entire pool | Typically used on last layer |
| Hand Laid | Consistent level of thickness Overlapping seams creates a super structure 15 layers thick | No consistency in thickness Not Hand Laid |
| Woven Roving | Provides significant vertical & horizontal strength to entire pool | <u>May</u> be used in key areas |
| Sprayed Chop | Not used on San Juan Pools | 2" pieces, varying thickness & consistency |
| Excess Resin | Removed each layer, making the pool stronger by having a Higher resin to glass ratio | Cannot remove excess resin |
| Coring & Fillers | Not used on San Juan Pools | Can make walls brittle & inhibit flexural strength |
| Interior ledges | Not needed on hand laid pools | Used to stiffen pool walls, makes area smaller, collects dirt, injury risk |

San Juan high-strength hand-laid fiberglass pools don't require ledges!

Cheap sprayed on fiberglass pools are built with ledges around them. They are marketed as "safety ledges". These ledges are added to compensate for the weakness of chopped fiberglass pools. Rather than offer safety, they can actually increase the risk of injury. They also make the bottom of the pool significantly narrower and reduce the play area.





- 16' x 33'9" • White • Caesar's Palace Model -



- 15'8" x 39'8" • White • Mirage Model -





Cold Resistant

Even under the extreme cold temperature by using Liquid Nitrogen (**-321degrees fahrenheit**) a San Juan Fiberglass pool doesn't fail. As you can see in the photos, vinyl liners and concrete crack and break, San Juan does not. This proves that San Juan Pools hold up in extreme cold temperatures.



Acid Resistant

Muriatic Acid can't harm a San Juan Fiberglass Pool! Acid is a major component in your water chemistry and when not maintained properly it can hurt the finish. This test shows how swimming pool acid can destroy a concrete pool. Pouring Muriatic Acid directly on a concrete pool starts destroying it immediately, however, **it has no effect on San Juan pools.**



Heat Resistant


Using a high temperature acetylene torch (**5,700 degrees fahrenheit**) with its ability to cut through steel still can't hurt a San Juan Pool as you can see in these photos. This proves that San Juan Pools hold up in extreme hot temperatures.



Bullet Resistant

Bullet-Proof San Juan Fiberglass Pools! **That's right bullet-proof!** From 15ft away with a 9mm, 380 cal, 45 cal 44 magnum and even the super powerful 454 and a 460! This demonstrates the incredible strength of our San Juan Fiberglass pools.






WHAT MAKES SAN JUAN FIBERGLASS POOLS THE BEST IN THE INDUSTRY:

- San Juan Pools started the fiberglass pool industry in 1958 and has been manufacturing the finest pools ever since.
- San Juan Pools has over 60 years of experience in building quality fiberglass pools. All other fiberglass companies have been manufacturing pools for far less.
- San Juan Pools is the largest manufacturer of fiberglass pools in the world, with over 74,000 pools installed.
- San Juan Pools manufacture and inventory over 100 different pool & spa models. The model selection includes a series of One-piece Pool and Spa Combinations, Infinity Edge Pools, Perimeter Overflow, Therapy and Free-Form Pools.
- San Juan Pools uses 100% proprietary vinyl ester resin throughout the entire laminate structure. Vinyl ester resin is the toughest, most impenetrable and most expensive resin used in the fiberglass industry today. San Juan Pools is the only manufacturer that uses vinyl ester resin throughout the entire process.
- San Juan Pools have a minimum of five hand laid layers of fiberglass. Unlike other companies, we do not use chopped fiberglass, coring or other fillers that can make walls brittle and inhibit the flexural strength of the fiberglass. This allows our pool to expand and contract with expansive soils, earthquakes and freezing temperatures.
- San Juan Pools uses a satin smooth 32-mil gel coat finish on its pool surfaces, consisting of two separate 16-mil applications of gel coat. Our special formula gel coat finish applied on our pool surfaces is much more resistant to fading than the colored finishes that other companies offer. San Juan offer 4 different Iridium and 2 standard gel coat colors that all stand up to the test of time.
- San Juan Pools offer a 25 year structural limited warranty and a 10 year surface (gel coat) limited warranty; San Juan Fiberglass Pools has been in continuous business for over 60 years. **Caution: Some companies offer a lifetime warranty (that means 7 years in most jurisdictions).*
- San Juan Pools incorporates a third party customer satisfaction survey upon job completion. At San Juan we are not happy until our customers are happy.
- San Juan Pools goal is to offer you the most elegant and durable pool made.

Rooftop Pools



Floating Pools




SAN JUAN PRODUCTS DISCLAIMER

San Juan Products Inc. manufactures fiberglass pools and distributes its pools through its independent dealers (the "Dealers") The relationship between San Juan products and e similar relationship. No Dealer has any authority of any kind or nature whatsoever to enter into any contract or agreement binding upon San Juan Products, or any partner or affiliate or affiliate of San Juan Products. San Juan Products has no responsibility or liability whatsoever for or with respect to any persons performing any services on the part of any dealer, such, Dealer's employees, contractors and /or agents. San Juan Products has no right to control or direct any employees, contractors and /or agents of any Dealer, with each Dealer repair services or any other services, shall ever be construed to be employees, contractors or agents of San Juan Products, or of any partner or affiliate of San Juan Products.


All measurements are outside dimensions (OD) and are approximate. Dimensions may vary upon installation. Check local and state building codes for diving specifications. Diving


San Juan Products disclaims any liability for any act or omission on behalf of any Dealer. San Juan Products obligation concerning pools manufactured by it is limited to San Juan

Images Disclaimer: San Juan Pools has made a concerted effort to provide images that accurately represent the actual color of your pool, however the Tridium process contains product. Please contact San Juan to receive an actual color sample to truly experience the beauty of Tridium



Animal Friendly Pools



All dealers/contractors are independent and not agents for manufacturers.

of the Dealers is an independent contractor relationship and shall never be deemed or construed to be an employment, a partnership, a joint venture, an agency or any other of San Juan Products. Furthermore, no Dealer has any authority of any kind or nature whatsoever to create any obligation on the part of San Juan Products, or of any partner including, without limitation. Any installation services or any repair services, and all such persons performing any such services on the part of any Dealer are and shall remain the sole right to control and direct its employees, contractors and /or agents. No persons performing any services on the part of any Dealer, whether installation services, requirements may vary by region. All quick entry devices shall be installed in accordance with the manufacturer's specifications.

San Juan Products Limited Warranty to Original Retail Buyer. (Limited Warranty to original retail buyer)

atural variations in color, tone, and grain that are difficult to reproduce on brochures and monitors. We cannot guarantee that these images represent the actual colors of the



Width:15'11" / 4.85 M
Length:44'7" / 13.59 M
Depth:3'8"-7'10" / 1.12 M-2.39 M
Area:658 ft² / 61.1 M²
Volume:22,000 G / 83,279 L



Width:15'11" / 4.85 M
Length:44'7" / 13.59 M
Depth:3'8"-6'4" / 1.12 M-1.93 M
Area:658 ft² / 61.1 M²
Volume:19,000 G / 71,923 L



Width:16'2" / 4.93 M
Length:40'6" / 12.34 M
Depth:3'8"-6'4" / .97 M-1.93 M
Area:602 ft² / 56 M²
Volume:20,600 G / 77,979 L



Width:16'1" / 4.9 M
Length:42'4" / 12.9 M
Depth:3'3"-7'11" / .99 M-2.41 M
Area:585 ft² / 54 M²
Volume:20,500 G / 77,601 L



Width:16'1" / 4.9 M
Length:39'10" / 12.14 M
Depth:3'3"-7'11" / 1.12 M-2.41 M
Area:559 ft² / 52 M²
Volume:20,500 G / 77,601 L



Width:16'2" / 4.93 M
Length:37' / 11.34 M
Depth:3'8"-6'4" / .97 M-1.93 M
Area:540 ft² / 54 M²
Volume:14,600 G / 55,000 L



Width:15'11" / 4.85 M
Length:39'7" / 12.07 M
Depth:3'3"-5'1" / .91 M-1.55 M
Area:531 ft² / 49 M²
Volume:14,400 G / 54,510 L



Width:15'11" / 4.85 M
Length:33'10" / 10.31 M
Depth:3'8"-7'10" / 1.12 M-2.39 M
Area:497 ft² / 46 M²
Volume:17,500 G / 66,244 L



Width:15'10" / 4.83 M
Length:33'10" / 10.31 M
Depth:3'11"-5'1" / 1.17 M-1.55 M
Area:487 ft² / 45 M²
Volume:11,600 G / 43,911 L



Width:15'11" / 4.85 M
Length:31'10" / 9.7 M
Depth:3'8"-5'8" / 1.12 M-1.73 M
Area:467 ft² / 43 M²
Volume:12,000 G / 45,425 L



Width:16'2" / 4.93 M
Length:34'1" / 10.39 M
Depth:3'6"-5'5" / 1.14 M-1.65 M
Area:431 ft² / 40 M²
Volume:13,500 G / 51,103 L



Width:16' / 4.88 M
Length:33'9" / 10.29 M
Depth:3'4"-5'8" / 1.02 M-1.73 M
Area:417 ft² / 39 M²
Volume:11,400 G / 43,154 L



Width:14'1" / 4.29 M
Length:33'1" / 10.08 M
Depth:3'9"-5' / 1.14 M-1.52 M
Area:395 ft² / 37 M²
Volume:11,500 G / 43,532 L



Width:14' / 4.27 M
Length:32'6" / 9.91 M
Depth:3'-8" / .91 M-2.44 M
Area:362 ft² / 34 M²
Volume:14,000 G / 52,996 L



Width:14' / 4.27 M
Length:32'6" / 9.91 M
Depth:3'-5'6" / .91 M-1.68 M
Area:362 ft² / 34 M²
Volume:11,500 G / 43,532 L



Width:15'11" / 4.85 M
Length:27'11" / 8.5 M
Depth:3'3"-5'1" / 1.07 M-1.55 M
Area:356 ft² / 33 M²
Volume:11,300 G / 42,775 L



Width:16' / 4.88 M
Length:36'2" / 11.02 M
Depth:4'8" / 1.42 M
Area:354 ft² / 33 M²
Volume:8,800 G / 33,312 L



Width:14' / 4.27 M
Length:27'1" / 8.26 M
Depth:3'9"-5'9" / 1.07 M-1.75 M
Area:345 ft² / 32 M²
Volume:10,000 G / 37,854 L



Width:13'10" / 4.22 M
Length:29'8" / 9.04 M
Depth:3'7"-5'5" / 1.09 M-1.65 M
Area:302 ft² / 28 M²
Volume:9,500 G / 35,961 L



Width:12'10" / 3.91 M
Length:29' / 8.84 M
Depth:3'6"-6' / 1.07 M-1.83 M
Area:295 ft² / 27 M²
Volume:10,000 G / 37,854 L



Width:14'1" / 4.29 M
Length:27'10" / 8.48 M
Depth:5' / 1.52 M
Area:294 ft² / 27 M²
Volume:9,000 G / 34,069 L



Width:12' / 3.66 M
Length:27' / 8.28 M
Depth:4'3" / 1.3 M
Area:289 ft² / 27 M²
Volume:6,400 G / 24,227 L



Width:8'6" / 2.59 M
Length:40' / 12.19 M
Depth:4'9" / 1.45 M
Area:282 ft² / 26 M²
Volume:8,500 G / 32,176 L




Width:11'9" / 3.58 M
Length:27'11" / 8.51 M
Depth:3'8"-5'6" / 1.12 M-1.68 M
Area:277 ft² / 26 M²
Volume:8,500 G / 32,176 L



Width:12'2" / 3.71 M
Length:26'9" / 8.15 M
Depth:3'5"-5'6" / 1.04 M-1.68 M
Area:266 ft² / 25 M²
Volume:8,000 G / 30,283 L



Width:12' / 3.66 M
Length:28' / 8.53 M
Depth:3'10" / 1.17 M
Area:267 ft² / 25 M²
Volume:6,750 G / 25,551 L



Width:12' / M
Length:25' / 7.62 M
Depth:3'6"-6' / 1.07 M-1.83 M
Area:254 ft² / 24 M²
Volume:8,500 G / 32,176 L



Width:11'5" / 3.48 M
Length:20'9" / 6.32 M
Depth:4' / 1.22 M
Area:240 ft² / 22 M²
Volume:4,500 G / 17,034 L



Width:12' / 3.66 M
Length:20' / 6.1 M
Depth:3'10" / 1.17 M
Area:212 ft² / 20 M²
Volume:5,600 G / 21,198 L



Width:16' / 4.88 M
Length:26' / 7.32 M
Depth:4'9" / 1.45 M
Area:200 ft² / 19 M²
Volume:5,200 G / 19,684 L



Width:12'1" / 3.68 M
Length:22'4" / 6.81 M
Depth:3'9" / 1.14 M
Area:184 ft² / 17 M²
Volume:5,025 G / 19,022 L



Width:12' / 3.66 M
Length:16'6" / 5.03 M
Depth:3'6" / 1.07 M
Area:171 ft² / 16 M²
Volume:5,200 G / 19,684 L



Width:12'8" / 3.85 M
Length:19'6" / 12.34 M
Depth:3'6" / 1.08 M
Area:288 ft² / 27 M²
Volume:5,200 G / 19,684 L



Width:8'6" / 2.59 M
Length:23' / 7.01 M
Depth:4'9" / 1.45 M
Area:159 ft² / 15 M²
Volume:4,240 G / 16,050 L



Width:10'5" / 3.18 M
Length:21'10" / 6.65 M
Depth:3'8"-4'11" / 1.12 M-1.5 M
Area:157 ft² / 15 M²
Volume:4,800 G / 18,170 L



Width:8'2" / 2.49 M
Length:16'2" / 4.93 M
Depth:4' / 1.22 M
Area:95 ft² / 9 M²
Volume:2,650 G / 10,031 L



Width:10' / 3.05 M
Length:19' / 5.97 M
Depth:3'6" / 1.07 M
Area:144 ft² / 13 M²
Volume:3,500 G / 13,249 L



Width:8' / 2.44 M
Length:14' / 4.27 M
Depth:3'6" / 1.08 M
Area:98 ft² / 9 M²
Volume:2,750 G / 10,135 L



Width:11'7" / 3.6 M
Length:7'7" / 2.35 M
Depth:1' / 0.16 M
Area:65 ft² / 7 M²
Volume:150 G / 567 L



Width:8'3" / 2.5 M
Length:12' / 3.64 M
Depth:12" / 0.16 M
Area:80 ft² / 8 M²
Volume:100 G / 378 L



Width:16' / 4.88 M
Length:14' / 4.27 M
Depth:3'3" / 0.99 M
Area:224 ft² / 21 M²
Volume:2,100 G / 7,949 L

MODEL Details





Width:16' / 4.88 M
 Length: 45' / 13.72 M
 Depth: 3'6"- 8' / 1.07 M -2.44 M
 Area: 560 ft² / 52 M²
 Volume: 20,000 G / 75,708 L



Width:16' / 4.88 M
 Length: 45' / 13.72 M
 Depth: 3'6"- 6'4" / 1.07 M -1.93 M
 Area: 560 ft² / 52 M²
 Volume: 18,000 G / 68,137 L



Width:16' / 4.88 M
 Length: 39'8" / 12.09 M
 Depth: 3'6"- 7'11" / 1.12 M -2.41 M
 Area: 496 ft² / 46 M²
 Volume: 17,950 G / 67,948 L



Width: 15'8" / 4.78 M
 Length: 39'8" / 12.09 M
 Depth: 3'6"- 5'4" / 1.12 M -1.63 M
 Area: 466 ft² / 43 M²
 Volume: 14,050 G / 53,185 L



Width: 16' / 4.88 M
 Length: 37'4" / 11.38 M
 Depth: 3'6"- 6'4" / 1.14 M -1.93 M
 Area: 455 ft² / 42 M²
 Volume: 13,700 G / 51,860 L



Width: 16'2" / 4.93 M
 Length: 39'1" / 11.91 M
 Depth: 3'- 6' / .91 M -1.83 M
 Area: 448 ft² / 42 M²
 Volume: 14,000 G / 52,996 L



Width: 15'7" / 4.75 M
 Length: 33'1" / 10.08 M
 Depth: 3'8"- 8' / 1.12 M -2.44 M
 Area: 375 ft² / 35 M²
 Volume: 11,300 G / 42,775 L



Width: 15'7" / 4.75 M
 Length: 33'1" / 10.08 M
 Depth: 3'8"- 5'9" / 1.12 M -1.75 M
 Area: 375 ft² / 35 M²
 Volume: 10,400 G / 39,368 L



Width:15'2" / 4.60 M
 Length: 32'7" / 12.34 M
 Depth: 5'7" / .97 M -1.70 M
 Area: 402 ft² / 38 M²
 Volume: 10,000 G / 39,000 L



Width: 13'11" / 4.85 M
 Length: 27'10" / 8.5 M
 Depth: 3'7"- 5'5" / 1.09 M -1.65 M
 Area: 356 ft² / 33 M²
 Volume: 8,300 G / 31,418 L



Width: 13'9" / 4.19 M
 Length: 32'10" / 10.01 M
 Depth: 3'6"- 8' / 1.07 M -2.44 M
 Area: 354 ft² / 33 M²
 Volume: 13,700 G / 51,860 L



Width: 13'9" / 4.19 M
 Length: 32'10" / 10.01 M
 Depth: 3'6"- 5'10" / 1.07 M -1.78 M
 Area: 354 ft² / 33 M²
 Volume: 10,300 G / 38,990 L



Width: 15'10" / 4.83 M
 Length: 28'4" / 8.64 M
 Depth: 3'6"- 5'7" / .91 M -1.7 M
 Area: 324 ft² / 30 M²
 Volume: 10,000 G / 37,854 L



Width: 14'10" / 4.52 M
 Length: 28' / 8.53 M
 Depth: 3'6"- 5'4" / 1.04 M -1.63 M
 Area: 311 ft² / 29 M²
 Volume: 9,500 G / 35,961 L



Width: 14' / 4.27 M
 Length: 30' / 9.14 M
 Depth: 3'1"- 6' / .94 M -1.83 M
 Area: 290 ft² / 27 M²
 Volume: 6,800 G / 25,741 L



Width: 14' / 4.27 M
 Length: 30' / 9.14 M
 Depth: 3'1"- 6' / .94 M -1.83 M
 Area: 290 ft² / 27 M²
 Volume: 6,800 G / 25,741 L



Width: 11'11" / 3.63 M
 Length: 27'10" / 8.48 M
 Depth: 3'6"- 6' / 1.07 M -1.83 M
 Area: 242 ft² / 22 M²
 Volume: 8,000 G / 30,283 L



Width: 12' / 3.66 M
 Length: 25'10" / 7.87 M
 Depth: 3'7"- 5'7" / 1.09 M -1.7 M
 Area: 218 ft² / 20 M²
 Volume: 6,800 G / 25,741 L



Width: 12'3" / 3.73 M
 Length: 23'9" / 7.24 M
 Depth: 3'9"- 5'11" / 1.12 M -1.8 M
 Area: 217 ft² / 20 M²
 Volume: 6,000 G / 22,712 L



Width: 11'8" / 3.56 M
 Length: 25'1" / 7.65 M
 Depth: 3'1"- 5'7" / .94 M -1.7 M
 Area: 198 ft² / 18 M²
 Volume: 6,600 G / 24,984 L



Width:11'9" / 3.58 M
 Length: 23'9" / 7.24 M
 Depth: 3'6"- 5'7" / 1.07 M -1.7 M
 Area: 190 ft² / 18 M²
 Volume: 6,600 G / 24,984 L



Width: 11'9" / 3.58 M
 Length: 23'9" / 7.24 M
 Depth: 3'6"- 5'7" / 1.07 M -1.7 M
 Area: 190 ft² / 18 M²
 Volume: 4,600 G / 17,413 L



Width: 12' / 3.66 M
 Length: 20'9" / 6.32 M
 Depth: 3'8"- 4'11" / 1.12 M -1.5 M
 Area: 179 ft² / 17 M²
 Volume: 4,000 G / 15,142 L



Width: 15'10" / 4.83 M
 Length: 17'4" / 5.28 M
 Depth: 3'7"- 5'2" / 1.09 M -1.57 M
 Area: 147 ft² / 14 M²
 Volume: 4,300 G / 16,277 L



Width: 13'8" / 4.17 M
 Length: 17'4" / 5.28 M
 Depth: 3'7"- 5'2" / 1.09 M -1.57 M
 Area: 147 ft² / 14 M²
 Volume: 4,000 G / 15,142 L



Width: 11'11" / 3.63 M
 Length: 18'11" / 5.77 M
 Depth: 3'7"- 5' / 1.09 M -1.52 M
 Area: 141 ft² / 13 M²
 Volume: 3,300 G / 12,492 L



Width: 11'11" / 3.63 M
 Length: 17'2" / 5.23 M
 Depth: 4'2"- 5' / 1.27 M -1.52 M
 Area: 119 ft² / 11 M²
 Volume: 3,900 G / 14,763 L



Width: 13'5" / 4.11 M
 Length: 20'1" / 6.13 M
 Depth: 3'4"- 5' / 1.03 M
 Area: 151 ft² / 14 M²
 Volume: 3,550 G / 13,438 L



Width: 11'6" / 3.51 M
 Length: 18'2" / 5.54 M
 Depth: 3'9" / 1.14 M
 Area: 120 ft² / 11 M²
 Volume: 2,050 G / 7,760 L



Width: 10'10" / 3.3 M
 Length: 15'6" / 4.72 M
 Depth: 3'9" / 1.14 M
 Area: 99 ft² / 9 M²
 Volume: 2,100 G / 7,949 L



Width: 8' / 2.44 M
 Length: 12' / 3.66 M
 Depth: 3'2" / 0.97 M
 Area: 85 ft² / 8 M²
 Volume: 950 G / 3,596 L



Width: 8'10" / 2.69 M
 Length: 8'10" / 2.69 M
 Depth: 3'7" / 1.09 M
 Area: 54 ft² / 5 M²
 Volume: 755 G / 2,858 L



Width: 9' / 2.74 M
 Length: 9' / 2.74 M
 Depth: 4' / .64 M
 Area: 64 ft² / 6 M²
 Volume: 700 G / 2,650 L



Width: 8' / 2.44 M
 Length: 8' / 2.44 M
 Depth: 3'2" / 0.97 M
 Area: 44 ft² / 4 M²
 Volume: 550 G / 2,082 L



Width: 7'1" / 1.8 M
 Length: 6'11" / 1.8 M
 Depth: 3'3" / 0.99 M
 Area: 45 ft² / 4 M²
 Volume: 550 G / 2,082 L



Width: 7'1" / 1.8 M
 Length: 6'11" / 1.8 M
 Depth: 3'3" / 0.99 M
 Area: 45 ft² / 4 M²
 Volume: 550 G / 2,082 L



Width: 7' / 2.13 M
 Length: 10'3" / 3.12 M
 Depth: 3'2" / 0.97 M
 Area: 43 ft² / 4 M²
 Volume: 700 G / 2,650 L



Width: 8' / 2.44 M
 Length: 8' / 2.44 M
 Depth: 2'11" / 0.89 M
 Area: 42 ft² / 4 M²
 Volume: 450 G / 1,703 L



Width: 8' / 2.44 M
 Length: 8' / 2.44 M
 Depth: 3' / 0.91 M
 Area: 39 ft² / 4 M²
 Volume: 500 G / 1,893 L



Width: 6'10" / 2.08 M
 Length: 6'10" / 2.08 M
 Depth: 3' / 0.91 M
 Area: 30 ft² / 3 M²
 Volume: 350 G / 1,325 L



Width: 6'1" / 1.85 M
 Length: 6'1" / 1.85 M
 Depth: 2'11" / 0.89 M
 Area: 26 ft² / 2 M²
 Volume: 300 G / 1,136 L

Photo Gallery



Your Backyard Oasis Wish List

ONE

Name: _____ Cell Phone: _____
 Email: _____ Home Phone: _____
 Address: _____
 City: _____ State: _____ Zip: _____

Create Your Own Backyard Oasis

TWO

San Juan Swimming Pool Model:

Choice: _____

San Juan Spa Model:

Choice: _____

Equipment Options

THREE

Pentair-----



Pump _____

Fountains _____

Filter _____

Water Feature _____

Hayward-----



Heater _____

Lighting _____

UV/Ozone _____

Automation _____

Jandy-----



Salt System _____

Pool Cleaner _____

Wish List Options

FOUR

- ☐ Winter Cover ☐ Auto
- ☐ Manual
- ☐ Leaf Cover
- ☐ Solar Blanket
- ☐ Hand Rails/Ladders
- ☐ Tanning Ledge
- ☐ Swim System

- ☐ Volleyball
- ☐ Diving Board
- ☐ Electric Heat Pump
- ☐ Gas Heater
- ☐ Solar Heating
- ☐ Water Fountains
- ☐ Bubblers
- ☐ Basketball
- ☐ Slide
- ☐ Deck Jets

- ☐ Water Falls/Sheer Desents
- ☐ Flaming Caldrons ☐ Fire Pits
- ☐ Outdoor Kitchen
- ☐ Patio Furniture
- ☐ Landscaping/Hardscape
- ☐ Irrigation
- ☐ Sound System

FIVE

INSTANT

Pool Estimate

test.SanJuanPools.com



HFS
Financial

100%
Financing Available

<https://hfsfinancial.net/promo/SanJuanCorpUSA>



SanJuanPools.com

800-535-SWIM (7946)