

# Artistic Pools

## SuperCenter



... QUALITY FIBERGLASS POOLS SINCE 1958 ...

PROUDLY  
MADE IN THE  
  
USA

2312 Wallace Blvd • Cinnaminson, NJ 08077

email: [sales@artisticpools.us](mailto:sales@artisticpools.us)

**888-838-SWIM (7946)**

[www.ArtisticPoolsCorp.com](http://www.ArtisticPoolsCorp.com)





## National Dealer of the Year

Mark Peditto (*President*) and Michael Neri (*Vice President*), CO-Founders of Artistic Pools Corp have been a leading installer and Distributor of San Juan Pools Since 2003. Our business model is like a well-oiled machine. In the early stages we doubled our business the first 3 years and now lead the nation in sales, Installing nearly 100 San Juan Fiberglass Pools a year! We pride ourselves on customer service and best installation practices. Our 5 Star review ratings on multiple review platforms show the high value we place on customer satisfaction.

Artistic Pools now has over 1000 San Juan Fiberglass Pools installed throughout NJ, PA and DE. We have been the Northeast Distribution hub for San Juan Pools since joining forces in 2003. Since then Artistic Pools has distributed more than 2,500 San Juan pools in the Northeast.

You see when you choose Artistic Pools...you choose a family that's dedicated to making sure your project goes just as planned. We all share the same goals and aspirations and that's giving you the absolute best Fiberglass Pool the industry has to offer along with the best staff and craftsman to build your DREAM POOL. From the initial meeting with Craig Schaal our VP of Sales to the final walk through you will feel confident "you've made the right choice".



*Artistic Pools was awarded the San Juan Pools National Dealer of the year*

**Artistic Pools**  
609-352-7069  
**ONE DAY  
INSTALL**  
[WWW.ARTISTICPOOLSCORP.COM](http://WWW.ARTISTICPOOLSCORP.COM)

**Get an Instant Quote Now at:**  
[www.artisticpoolscorp.com/  
fiberglass-pools-quote](http://www.artisticpoolscorp.com/fiberglass-pools-quote)



Visit us on  
[facebook.com/  
ArtisticPoolsCorporation](https://www.facebook.com/ArtisticPoolsCorporation)

Mark Peditto's

Mike Neri's

Craig Schaal's

**888-838-SWIM (7946)**



# Pool Buying Comparative

## San Juan

### Fiberglass Pools Benefits

### vs. Gunite Difference

### vs. Vinyl liner Difference

### Features

Features	Fiberglass Pools Benefits	vs. Gunite Difference	vs. Vinyl liner Difference
Warranty	25 year non-prorated structural warranty	One year by contractor	Pro-rated only on seam separation
Installation Time	Within days	8 + weeks	5 weeks
Product Quality	Manufactured in a controlled environment	Quality dependent on job-site conditions	Quality dependent on work force
Design Options	100+ models to choose from	Unlimited	Limited to standard shapes
Durability	Flexes under pressure	Rigid, cracks with movement	Punctures and tears
Interior Finish	Smooth, skin friendly	Very rough	Slippery, rough seams
Swim outs, steps, benches, sundecks	One-piece molded in	Only at an additional cost	Drop in type or ladder
Water Chemistry	No harsh chemicals needed	Requires muriatic acid	No harsh chemicals needed

## Eco Friendly

**Lower chemical use means less impact to the environment. Little or no chemical runoff to harm water table and up to 75% less packing material going to landfills.**

**Because of the smooth fiberglass finishes, algae and mildew will not adhere, this enables shorter pump run times, less than half of a gunite pool, resulting in much less electrical consumption and lower monthly bills. Self insulated fiberglass construction increases the pools ability to maintain water temperature. This also shortens heater run times reducing the energy needed to keep your pool warm.**



### SAN JUAN PRODUCTS DISCLAIMER

San Juan Products Inc. manufactures fiberglass pools and distributes its pools through its independent dealers (the "Dealers") The relationship between San Juan products any other similar relationship. No Dealer has any authority of any kind or nature whatsoever to enter into any contract or agreement binding upon San Juan Products, or any or of any partner or affiliate of San Juan Products. San Juan Products has no responsibility or liability whatsoever for or with respect to any persons performing any services Dealer are and shall remain such, Dealer's employees, contractors and /or agents. San Juan Products has no right to control or direct any employees, contractors and /or of any Dealer, whether installation services, repair services or any other services, shall ever be construed to be employees, contractors or agents of San Juan Products, or All measurements are outside dimensions (OD) and are approximate. Dimensions may vary upon installation. Check local and state building codes for diving San Juan Products disclaims any liability for any act or omission on behalf of any Dealer. San Juan Products obligation concerning pools manufactured by it is limited to Images Disclaimer: San Juan Pools has made a concerted effort to provide images that accurately represent the actual color of your pool, however the Iridium process colors of the product. Please contact San Juan to receive an actual color sample to truly experience the beauty of Iridium!

# Fiberglass Pool Construction Comparative

Features	San Juan Fiberglass Pools Benefits	Chopped / Composite Fiberglass Pools Difference
Gel Coat	32-Mil total	15-Mil typical
Vinyl Ester Resin	Used throughout entire pool	Typically used on first layer only
Hand Laid	Consistent level of thickness overlapping seams creates a super structure 15 layers thick	No consistency in thickness Sprayed on
Woven Roving	Provides significant strength to entire pool	<u>Not used</u> on chopped pools
Sprayed Chop	Not used on San Juan Pools	Lowest cost construction method
Resin	Higher glass to resin ratio	Lower glass to resin ratio
Coring & Fillers	Not used on San Juan Pools	Makes walls brittle Inhibit flexural strength
Interior ledges	Not needed on hand laid pools	Used to stiffen pool walls, makes area smaller

## San Juan high-strength hand-laid fiberglass pools don't require ledges!

Cheap sprayed on fiberglass pools are built with ledges around them. They are marketed as "safety ledges". These ledges are added to compensate for the weakness of chopped fiberglass pools. Rather than offer safety, they can actually increase the risk of injury. They also make the bottom of the pool significantly narrower and reduce the play area.



### All dealers/contractors are independent and not agents for manufacturers.

and each of the Dealers is an independent contractor relationship and shall never be deemed or construed to be an employment, a partnership, a joint venture, an agency or partner or affiliate of San Juan Products. Furthermore, no Dealer has any authority of any kind or nature whatsoever to create any obligation on the part of San Juan Products, on the part of any dealer including, without limitation. Any installation services or any repair services, and all such persons performing any such services on the part of any agents of any Dealer, with each Dealer having the sole right to control and direct its employees, contractors and /or agents. No persons performing any services on the part of any partner or affiliate of San Juan Products.

specifications. Diving requirements may vary by region. All quick entry devices shall be installed in accordance with the manufacturer's specifications

San Juan Products Limited Warranty to Original Retail Buyer. (Limited Warranty to original retail buyer).

contains natural variations in color, tone, and grain that are difficult to reproduce on brochures and monitors. We cannot guarantee that these images represent the actual

**SKIP BEDELL**



As Seen on

**FOX & friends**



San Juan Fiberglass Pools'  
Satin Smooth Finishes



White

Sully Blue

Blue Lagoon

Granite



## HONOR PROGRAM

For many years San Juan Pools has paid tribute to the Disabled Veterans of our armed forces by donating an installed San Juan Fiberglass pool to aid in their recovery. This year we have taken a larger step in honoring the military personnel of the United States Army, Navy, Air Force, Marine Corps and Coast Guard by establishing a special "HONOR PROGRAM" whereby a contribution towards their unselfish service to our country can be made.

# San Juan Builds The Strongest Pools In The World!

**100% Proprietary Vinyl Ester Resin Throughout Pool**

**100% Hand Laid Fiberglass (NO Chop)**


PROUDLY  
MADE IN THE



**32-mil Gel Coat**  
the thickest in the Industry  
(two 16-mil layers)

**1.5 oz Strand Mat**  
(three layers)

**24 oz Woven Roving**  
(two layers)



**TIME LAPSE**  
Building a SJP Pool



**TIME LAPSE**  
Installing a SJP Pool



For all ACTIVE DUTY and RETIRED MILITARY PERSONNEL, San Juan Pools has initiated an HONOR PAYMENT PROGRAM for each San Juan Fiberglass pool purchased. An Honor Payment will be sent to you by US Mail upon receipt of the payment certificate. For each of you who purchase a San Juan pool shell, we will send your certificate to you upon receipt of your completed warranty form and active duty or retired support document. Your payment will vary according to pool shell size listed below.

## BEST IN CLASS

### SAN JUAN FIBERGLASS POOLS ARE THE BEST IN THE INDUSTRY

- San Juan Pools revolutionized the fiberglass pool industry. With 60 years of manufacturing experience, San Juan is the oldest in the industry.
- The largest manufacturer of fiberglass pools in the world with over 74,000 pools installed.
- San Juan has the most extensive model selection and inventory of pools. The model selection includes One-piece Pool and Spa combinations, Infinity Edge, Perimeter Overflow, Therapy and Free-Form Pools.
- With a strict focus on quality, San Juan has developed manufacturing standards unrivaled by other manufacturers.
  - San Juan is the only manufacturer that uses 100% vinyl ester resin throughout the entire laminate structure. The proprietary vinyl ester resin is the toughest, most impenetrable and most expensive resin used in the fiberglass industry.
  - Pools have a minimum of 5 hand laid layers of fiberglass. Layers allow the San Juan pool to expand and contract with expansive soils, earthquakes and freezing temperatures. Unlike other companies, San Juan does not use chopped fiberglass, coring or other fillers that can make walls brittle and inhibit the flexural strength of the fiberglass.
  - Two separate 16-Mil of satin smooth gel coat finish on all pools. The proprietary gel coat formula resists fading and can stand the test of time. San Juan offers 2 different Iridium and 2 standard gel coat colors.
- Provides a 25-year structural limited warranty and 10 year surface (gel coat) limited warranty. (\*Some companies offer a lifetime warranty but is really only 7 years in most jurisdictions.)





## *Cold Resistant*

Even under the extreme cold temperature by using Liquid Nitrogen (**-321degrees Fahrenheit**) a San Juan Fiberglass pool doesn't fail. As you can see in the photos, vinyl liners and concrete crack and break, San Juan does not. This proves that San Juan Pools hold up in extreme cold temperatures.



## *Acid Resistant*

Muriatic Acid can't harm a San Juan Fiberglass Pool! Acid is a major component in your water chemistry and when not maintained properly it can hurt the finish. This test shows how swimming pool acid can destroy a concrete pool. Pouring Muriatic Acid directly on a concrete pool starts destroying it immediately, however, **it has no affect on San Juan pools.**



## *Heat Resistant*

Using a high temperature acetylene torch (**5,700 degrees Fahrenheit**) with its ability to cut through steel still can't hurt a San Juan Pool as you can see in these photos. This proves that San Juan Pools hold up in extreme hot temperatures.




## *Impact Resistant*

Bullet-Proof San Juan Fiberglass Pools! **That's right bullet-proof!** From 15ft away with a 9mm, 380 cal, 45 cal 44 magnum and even the super powerful 454 and a 460! This demonstrates the incredible impact strength of our San Juan Fiberglass pools.



## Rooftop Pools



- Biloxi & Grande Spa -



## Floating Pools



- Oceanside -



## Frozen Pools



- Monte Carlo -



## Animal Friendly Pools



- Lelani -



- Caesar's Palace -



- Lelani -



- Luxor -



- Geat Lakes -



Width: ..... 15'11" / 4.85 M  
 Length: ..... 44'7" / 13.59 M  
 Depth: ... 3'8" - 7'10" / 1.12 M - 2.39 M  
 Area: ..... 658 ft<sup>2</sup> / 61.1 M<sup>2</sup>  
 Volume: ..... 22,000 G / 83,279 L



Width: ..... 15'11" / 4.85 M  
 Length: ..... 44'7" / 13.59 M  
 Depth: ... 3'8" - 6'4" / 1.12 M - 1.93 M  
 Area: ..... 658 ft<sup>2</sup> / 61.1 M<sup>2</sup>  
 Volume: ..... 19,000 G / 71,923 L



Width: ..... 16'2" / 4.93 M  
 Length: ..... 40'6" / 12.34 M  
 Depth: ... 3'8" - 6'4" / .97 M - 1.93 M  
 Area: ..... 602 ft<sup>2</sup> / 56 M<sup>2</sup>  
 Volume: ..... 20,600 G / 77,979 L



Width: ..... 16'2" / 4.93 M  
 Length: ..... 37' / 11.34 M  
 Depth: ... 3'8" - 6'4" / .97 M - 1.93 M  
 Area: ..... 540 ft<sup>2</sup> / 54 M<sup>2</sup>  
 Volume: ..... 14,500 G / 55,000 L



Width: ..... 15'11" / 4.85 M  
 Length: ..... 39'7" / 12.07 M  
 Depth: ... 3'3" - 5'1" / .91 M - 1.55 M  
 Area: ..... 531 ft<sup>2</sup> / 49 M<sup>2</sup>  
 Volume: ..... 14,400 G / 54,510 L



Width: ..... 15'11" / 4.85 M  
 Length: ..... 33'10" / 10.31 M  
 Depth: ... 3'8" - 7'10" / 1.12 M - 2.39 M  
 Area: ..... 497 ft<sup>2</sup> / 46 M<sup>2</sup>  
 Volume: ..... 17,500 G / 66,244 L

**San Juan**  
 Quality Fiberglass  
 Since 1958  
 800-531-SanJuanPool



Width: ..... 16'2" / 4.93 M  
 Length: ..... 34'1" / 10.39 M  
 Depth: ... 3'6" - 5'5" / 1.14 M - 1.65 M  
 Area: ..... 431 ft<sup>2</sup> / 40 M<sup>2</sup>  
 Volume: ..... 13,500 G / 51,103 L



Width: ..... 16' / 4.88 M  
 Length: ..... 33'9" / 10.29 M  
 Depth: ... 3'4" - 5'8" / 1.02 M - 1.73 M  
 Area: ..... 417 ft<sup>2</sup> / 39 M<sup>2</sup>  
 Volume: ..... 11,400 G / 43,154 L



Width: ..... 14'1" / 4.29 M  
 Length: ..... 33'1" / 10.08 M  
 Depth: ... 3'9" - 5' / 1.14 M - 1.52 M  
 Area: ..... 395 ft<sup>2</sup> / 37 M<sup>2</sup>  
 Volume: ..... 11,500 G / 43,532 L



Width: ..... 16' / 4.88 M  
 Length: ..... 26' / 7.92 M  
 Depth: ..... 5'11" / 1.93 M  
 Area: ..... 375 ft<sup>2</sup> / 35 M<sup>2</sup>  
 Volume: ..... 10,122 G / 38,316 L




Width: ..... 14' / 4.27 M  
 Length: ..... 32'6" / 9.91 M  
 Depth: ..... 3' - 8' / .91 M - 2.44 M  
 Area: ..... 362 ft<sup>2</sup> / 34 M<sup>2</sup>  
 Volume: ..... 14,000 G / 52,996 L



Width: ..... 12'10" / 3.91 M  
 Length: ..... 29' / 8.84 M  
 Depth: ... 3'6" - 6' / 1.07 M - 1.83 M  
 Area: ..... 295 ft<sup>2</sup> / 27 M<sup>2</sup>  
 Volume: ..... 10,000 G / 37,854 L



Width: ..... 14'1" / 4.29 M  
 Length: ..... 27'10" / 8.48 M  
 Depth: ..... 5' / 1.52 M  
 Area: ..... 294 ft<sup>2</sup> / 27 M<sup>2</sup>  
 Volume: ..... 9,000 G / 34,069 L



Width: ..... 12' / 3.66 M  
 Length: ..... 27' / 8.28 M  
 Depth: ..... 4'3" / 1.3 M  
 Area: ..... 289 ft<sup>2</sup> / 27 M<sup>2</sup>  
 Volume: ..... 6,400 G / 24,227 L



Width: ..... 8'6" / 2.59 M  
 Length: ..... 40' / 12.19 M  
 Depth: ..... 4'9" / 1.45 M  
 Area: ..... 282 ft<sup>2</sup> / 26 M<sup>2</sup>  
 Volume: ..... 8,500 G / 32,176 L



Width: ..... 11'9" / 3.58 M  
 Length: ..... 27'11" / 8.51 M  
 Depth: ... 3'8" - 5'6" / 1.12 M - 1.68 M  
 Area: ..... 277 ft<sup>2</sup> / 26 M<sup>2</sup>  
 Volume: ..... 8,500 G / 32,176 L



Width: ..... 16' / 4.88 M  
 Length: ..... 24' / 7.32 M  
 Depth: ..... 4'9" / 1.45 M  
 Area: ..... 200 ft<sup>2</sup> / 19 M<sup>2</sup>  
 Volume: ..... 5,200 G / 19,684 L



Width: ..... 12'1" / 3.68 M  
 Length: ..... 22'4" / 6.81 M  
 Depth: ..... 3'9" / 1.14 M  
 Area: ..... 184 ft<sup>2</sup> / 17 M<sup>2</sup>  
 Volume: ..... 5,025 G / 19,022 L



Width: ..... 12' / 3.66 M  
 Length: ..... 16'6" / 5.03 M  
 Depth: ..... 5' / 1.52 M  
 Area: ..... 171 ft<sup>2</sup> / 16 M<sup>2</sup>  
 Volume: ..... 5,200 G / 19,684 L



Width: ..... 12'8" / 3.85 M  
 Length: ..... 19'6" / 12.34 M  
 Depth: ..... 4' / 1.22 M  
 Area: ..... 288 ft<sup>2</sup> / 27 M<sup>2</sup>  
 Volume: ..... 5,200 G / 19,684 L



Width: ..... 8'6" / 2.59 M  
 Length: ..... 23' / 7.01 M  
 Depth: ..... 4'9" / 1.45 M  
 Area: ..... 159 ft<sup>2</sup> / 15 M<sup>2</sup>  
 Volume: ..... 4,240 G / 16,050 L



We Are The Best Of The Best

Miss Pools 58

5-SWIM Pools.FUN



Dallas Width: 16'1" / 4.9 M Length: 42'4" / 12.9 M Depth: 3'3" - 7'11" / .99 M - 2.41 M Area: 585 ft² / 54 M² Volume: 20,500 G / 77,601 L



Pacific Width: 16'1" / 4.9 M Length: 39'10" / 12.14 M Depth: 3'3" - 7'11" / 1.12 M - 2.41 M Area: 559 ft² / 52 M² Volume: 20,500 G / 77,601 L



Great Lakes Beach 2020 New Model Width: 16'2" / 4.93 M Length: 41'8" / 12.7 M Depth: 3'8" - 6'4" / .97 M - 1.93 M Area: 585 ft² / 54 M² Volume: 14,874 G / 55,000 L



Grand Manhattan Width: 15'10" / 4.83 M Length: 33'10" / 10.31 M Depth: 3'11" - 5'1" / 1.17 M - 1.55 M Area: 487 ft² / 45 M² Volume: 11,600 G / 43,911 L



Monte Carlo Width: 15'11" / 4.85 M Length: 31'10" / 9.7 M Depth: 3'8" - 5'8" / 1.12 M - 1.73 M Area: 467 ft² / 43 M² Volume: 12,000 G / 45,425 L




Lake Superior 2020 New Model Width: 16'2" / 4.93 M Length: 31' / 9.6 M Depth: 3'8" - 6'4" / .97 M - 1.93 M Area: 475 ft² / 44 M² Volume: 12,000 G / 45,425 L



Savannah Width: 14' / 4.27 M Length: 32'6" / 9.91 M Depth: 3' - 5'6" / .91 M - 1.68 M Area: 362 ft² / 34 M² Volume: 11,500 G / 43,532 L



Vegas Width: 15'11" / 4.85 M Length: 27'11" / 8.5 M Depth: 3'3" - 5'1" / 1.07 M - 1.55 M Area: 356 ft² / 33 M² Volume: 11,300 G / 42,775 L



iPool Width: 16' / 4.88 M Length: 36'2" / 11.02 M Depth: 4'8" / 1.42 M Area: 354 ft² / 33 M² Volume: 8,800 G / 33,312 L



Stockholm Width: 14' / 4.27 M Length: 27'1" / 8.26 M Depth: 3'9" - 5'9" / 1.07 M - 1.75 M Area: 345 ft² / 32 M² Volume: 10,000 G / 37,854 L



Pompano Beach Width: 13'10" / 4.22 M Length: 29'8" / 9.04 M Depth: 3'7" - 5'5" / 1.09 M - 1.65 M Area: 302 ft² / 28 M² Volume: 9,500 G / 35,961 L



Waikiki I Width: 12'2" / 3.71 M Length: 26'9" / 8.15 M Depth: 3'5" - 5'6" / 1.04 M - 1.68 M Area: 266 ft² / 25 M² Volume: 8,000 G / 30,283 L



Orlando Width: 12' / 3.66 M Length: 28' / 8.53 M Depth: 3'10" / 1.17 M Area: 267 ft² / 25 M² Volume: 6,750 G / 25,551 L



Wylela Width: 12' / M Length: 25' / 7.62 M Depth: 3'6" - 6' / 1.07 M - 1.83 M Area: 254 ft² / 24 M² Volume: 8,500 G / 32,176 L



Broadway Width: 11'5" / 3.48 M Length: 20'9" / 6.32 M Depth: 4' / 1.22 M Area: 240 ft² / 22 M² Volume: 4,500 G / 17,034 L



Gulf Breeze Width: 12' / 3.66 M Length: 20' / 6.1 M Depth: 3'10" / 1.17 M Area: 212 ft² / 20 M² Volume: 5,600 G / 21,198 L



Palm Beach Width: 10'5" / 3.18 M Length: 21'10" / 6.65 M Depth: 3'8" - 4'11" / 1.12 M - 1.5 M Area: 157 ft² / 15 M² Volume: 4,800 G / 18,170 L



Ft. Myers Width: 8'2" / 2.49 M Length: 16'2" / 4.93 M Depth: 4' / 1.22 M Area: 95 ft² / 9 M² Volume: 2,650 G / 10,031 L



Canyon Lake Width: 10' / 3.05 M Length: 19' / 5.97 M Depth: 3'6" / 1.07 M Area: 144 ft² / 13 M² Volume: 3,500 G / 13,249 L



Sedona Width: 8' / 2.44 M Length: 14' / 4.27 M Depth: 3'6" / 1.08 M Area: 98 ft² / 9 M² Volume: 2,750 G / 10,135 L




### Daytona Beach



Width: ..... 16' / 4.88 M  
 Length: ..... 45' / 13.72 M  
 Depth: ... 3'6" - 8' / 1.07 M - 2.44 M  
 Area: ..... 556 ft<sup>2</sup> / 52 M<sup>2</sup>  
 Volume: ..... 17,944 G / 75,708 L

### South Beach



Width: ..... 16' / 4.88 M  
 Length: ..... 45' / 13.72 M  
 Depth: ... 3'6" - 6'4" / 1.07 M - 1.93 M  
 Area: ..... 556 ft<sup>2</sup> / 52 M<sup>2</sup>  
 Volume: ..... 15,966 G / 68,137 L

### Oasis




Width: ..... 16' / 4.88 M  
 Length: ..... 39'8" / 12.09 M  
 Depth: ... 3'6" - 7'11" / 1.12 M - 2.41 M  
 Area: ..... 496 ft<sup>2</sup> / 46 M<sup>2</sup>  
 Volume: ..... 17,950 G / 67,948 L

### Atlantic



Width: ..... 15' 7" / 4.75 M  
 Length: ..... 33' 1" / 10.08 M  
 Depth: .. 3'8" - 5'9" / 1.12 M - 1.75 M  
 Area: ..... 375 ft<sup>2</sup> / 35 M<sup>2</sup>  
 Volume: ..... 10,400 G / 39,368 L

### Costa Azul



Width: ..... 15' 2" / 4.60 M  
 Length: ..... 32' 7" / 12.34 M  
 Depth: ..... 5' 7" / .97 M - 1.70 M  
 Area: ..... 402 ft<sup>2</sup> / 38 M<sup>2</sup>  
 Volume: ..... 8,000 G / 39,000 L

### Sandcastle



Width: ..... 13' 11" / 4.85 M  
 Length: ..... 27' 10" / 8.5 M  
 Depth: .. 3' 7" - 5' 5" / 1.09 M - 1.65 M  
 Area: ..... 356 ft<sup>2</sup> / 33 M<sup>2</sup>  
 Volume: ..... 8,300 G / 31,418 L

### Manatee Deep



Width: ..... 13' 9" / 4.19 M  
 Length: ..... 32' 10" / 10.01 M  
 Depth: ... 3' 6" - 8' / 1.07 M - 2.44 M  
 Area: ..... 354 ft<sup>2</sup> / 33 M<sup>2</sup>  
 Volume: ..... 13,700 G / 51,860 L

### Manatee



Width: ..... 13' 9" / 4.19 M  
 Length: ..... 32' 10" / 10.01 M  
 Depth: . 3' 6" - 5' 10" / 1.07 M - 1.78 M  
 Area: ..... 354 ft<sup>2</sup> / 33 M<sup>2</sup>  
 Volume: ..... 10,300 G / 38,990 L

### Seaside



Width: ..... 11' 11" / 3.63 M  
 Length: ..... 27' 10" / 8.48 M  
 Depth: ... 3'6" - 6' / 1.07 M - 1.83 M  
 Area: ..... 242 ft<sup>2</sup> / 22 M<sup>2</sup>  
 Volume: ..... 8,000 G / 30,283 L

### Catalina



Width: ..... 12' / 3.66 M  
 Length: ..... 25' 10" / 7.87 M  
 Depth: ... 3'7" - 5' 7" / 1.09 M - 1.7 M  
 Area: ..... 218 ft<sup>2</sup> / 20 M<sup>2</sup>  
 Volume: ..... 6,800 G / 25,741 L

### Lelani



Width: ..... 12' 3" / 3.73 M  
 Length: ..... 23' 9" / 7.24 M  
 Depth: ... 3'9" - 5' 11" / 1.12 M - 1.8 M  
 Area: ..... 217 ft<sup>2</sup> / 20 M<sup>2</sup>  
 Volume: ..... 6,000 G / 22,712 L

### Mandalay Bay



Width: ..... 11' 8" / 3.56 M  
 Length: ..... 25' 1" / 7.65 M  
 Depth: ... 3'1" - 5' 7" / .94 M - 1.7 M  
 Area: ..... 198 ft<sup>2</sup> / 18 M<sup>2</sup>  
 Volume: ..... 6,600 G / 24,984 L

### Cocoa Beach



Width: ..... 11' 9" / 3.58 M  
 Length: ..... 23' 9" / 7.24 M  
 Depth: ... 3'6" - 5' 7" / 1.07 M - 1.7 M  
 Area: ..... 190 ft<sup>2</sup> / 18 M<sup>2</sup>  
 Volume: ..... 6,600 G / 24,984 L

### Sundial



Width: ..... 11' 9" / 3.58 M  
 Length: ..... 23' 9" / 7.24 M  
 Depth: ... 3'6" - 5' 7" / 1.07 M - 1.7 M  
 Area: ..... 190 ft<sup>2</sup> / 18 M<sup>2</sup>  
 Volume: ..... 6,400 G / 17,413 L

### Arialla



Width: ..... 12' / 3.66 M  
 Length: ..... 20' 9" / 6.32 M  
 Depth: .. 3'8" - 4' 11" / 1.12 M - 1.5 M  
 Area: ..... 179 ft<sup>2</sup> / 17 M<sup>2</sup>  
 Volume: ..... 4,000 G / 15,142 L

### Crystal Beach



Width: ..... 13' 8" / 4.17 M  
 Length: ..... 17' 4" / 5.28 M  
 Depth: ... 3'7" - 5' 2" / 1.09 M - 1.57 M  
 Area: ..... 147 ft<sup>2</sup> / 14 M<sup>2</sup>  
 Volume: ..... 4,000 G / 15,142 L

### Crystal Cove



Width: ..... 11' 11" / 3.63 M  
 Length: ..... 18' 11" / 5.77 M  
 Depth: ... 3'7" - 5' / 1.09 M - 1.52 M  
 Area: ..... 141 ft<sup>2</sup> / 13 M<sup>2</sup>  
 Volume: ..... 3,300 G / 12,492 L

### Crystal Springs



Width: ..... 11' 11" / 3.63 M  
 Length: ..... 17' 2" / 5.23 M  
 Depth: ... 4'2" - 5' / 1.27 M - 1.52 M  
 Area: ..... 119 ft<sup>2</sup> / 11 M<sup>2</sup>  
 Volume: ..... 3,900 G / 14,763 L

## Photo Gallery



## POOL Details



### Tanning Ledge - Round



Width: ..... 11' 7" / 3.6 M  
 Length: ..... 7' 7" / 2.35 M  
 Depth: ..... 1' / 0.16 M  
 Area: ..... 65 ft<sup>2</sup> / 7 M<sup>2</sup>  
 Volume: ..... 150 G / 567 L

### Scottsdale Tanning Ledge



Width: ..... 8' 3" / 2.5 M  
 Length: ..... 12' / 3.64 M  
 Depth: ..... 12" / 0.16 M  
 Area: ..... 80 ft<sup>2</sup> / 8 M<sup>2</sup>  
 Volume: ..... 100 G / 378 L

### Fun Deck



Width: ..... 16' / 4.88 M  
 Length: ..... 14' / 4.27 M  
 Depth: ..... 3'3" / 0.99 M  
 Area: ..... 224 ft<sup>2</sup> / 21 M<sup>2</sup>  
 Volume: ..... 2100 G / 7,949 L





Width: ..... 15' 8" / 4.78 M  
 Length: ..... 39' 8" / 12.09 M  
 Depth: .. 3' 6" - 5' 4" / 1.12 M - 1.63 M  
 Area: ..... 466 ft<sup>2</sup> / 43 M<sup>2</sup>  
 Volume: ..... 14,050 G / 53,185 L



Width: ..... 16' / 4.88 M  
 Length: ..... 37' 4" / 11.38 M  
 Depth: .. 3' 6" - 6' 4" / 1.14 M - 1.93 M  
 Area: ..... 455 ft<sup>2</sup> / 42 M<sup>2</sup>  
 Volume: ..... 13,700G / 51,860 L



Width: ..... 16' / 4.88 M  
 Length: ..... 37' 4" / 11.38 M  
 Depth: .. 3' 6" - 6' 4" / 1.14 M - 1.93 M  
 Area: ..... 455 ft<sup>2</sup> / 42 M<sup>2</sup>  
 Volume: ..... 13,700G / 51,860 L



Width: ..... 16' 2" / 4.93 M  
 Length: ..... 39' 1" / 11.91 M  
 Depth: ..... 3' - 6' / .91 M - 1.83 M  
 Area: ..... 448 ft<sup>2</sup> / 42 M<sup>2</sup>  
 Volume: ..... 14,000 G / 52,996 L



Width: ..... 15' 7" / 4.75 M  
 Length: ..... 33' 1" / 10.08 M  
 Depth: .... 3' 8" - 8' / 1.12 M - 2.44 M  
 Area: ..... 375 ft<sup>2</sup> / 35 M<sup>2</sup>  
 Volume: ..... 11,300 G / 42,775 L



Width: ..... 15' 10" / 4.83 M  
 Length: ..... 28' 4" / 8.64 M  
 Depth: .... 3' 6" - 5' 7" / .91 M - 1.7 M  
 Area: ..... 324 ft<sup>2</sup> / 30 M<sup>2</sup>  
 Volume: ..... 10,000 G / 37,854 L



Width: ..... 15' 10" / 4.83 M  
 Length: ..... 28' 4" / 8.64 M  
 Depth: .... 3' 6" - 5' 7" / .91 M - 1.7 M  
 Area: ..... 324 ft<sup>2</sup> / 30 M<sup>2</sup>  
 Volume: ..... 10,000 G / 37,854 L



Width: ..... 14' 10" / 4.52 M  
 Length: ..... 28' / 8.53 M  
 Depth: .. 3' 6" - 5' 4" / 1.04 M - 1.63 M  
 Area: ..... 311 ft<sup>2</sup> / 29 M<sup>2</sup>  
 Volume: ..... 9,500 G / 35,961 L



Width: ..... 14' / 4.27 M  
 Length: ..... 30' / 9.14 M  
 Depth: .... 3' 1" - 6' / .94 M - 1.83 M  
 Area: ..... 290 ft<sup>2</sup> / 27 M<sup>2</sup>  
 Volume: ..... 6,800 G / 25,741 L



Width: ..... 14' / 4.27 M  
 Length: ..... 30' / 9.14 M  
 Depth: .... 3' 1" - 6' / .94 M - 1.83 M  
 Area: ..... 290 ft<sup>2</sup> / 27 M<sup>2</sup>  
 Volume: ..... 6,800 G / 25,741 L



Width: ..... 13' 5" / 4.11 M  
 Length: ..... 20' 1" / 6.13 M  
 Depth: ..... 3' 4" / 1.03 M  
 Area: ..... 151 ft<sup>2</sup> / 14 M<sup>2</sup>  
 Volume: ..... 3,550 G / 13,438 L



Width: ..... 11' 6" / 3.51 M  
 Length: ..... 18' 2" / 5.54 M  
 Depth: ..... 3' 9" / 1.14 M  
 Area: ..... 120 ft<sup>2</sup> / 11 M<sup>2</sup>  
 Volume: ..... 2,050 G / 7,760 L



Width: ..... 10' 10" / 3.3 M  
 Length: ..... 15' 6" / 4.72 M  
 Depth: ..... 3' 9" / 1.14 M  
 Area: ..... 99 ft<sup>2</sup> / 9 M<sup>2</sup>  
 Volume: ..... 2,100 G / 7,949 L



Width: ..... 8' / 2.44 M  
 Length: ..... 12' / 3.66 M  
 Depth: ..... 3' 2" / 0.97 M  
 Area: ..... 85 ft<sup>2</sup> / 8 M<sup>2</sup>  
 Volume: ..... 950 G / 3,596 L



Width: ..... 8' 4" / 2.54 M  
 Length: ..... 10' 10" / 3.3 M  
 Depth: ..... 3' 2" / 0.97 M  
 Area: ..... 82 ft<sup>2</sup> / 8 M<sup>2</sup>  
 Volume: ..... 393 G / 1488 L



Width: ..... 8' 10" / 2.69 M  
 Length: ..... 8' 10" / 2.69 M  
 Depth: ..... 3' 7" / 1.09 M  
 Area: ..... 54 ft<sup>2</sup> / 5 M<sup>2</sup>  
 Volume: ..... 755 G / 2,858 L



Width: ..... 9' / 2.74 M  
 Length: ..... 9' / 2.74 M  
 Depth: ..... 4' / .64 M  
 Area: ..... 64 ft<sup>2</sup> / 5 M<sup>2</sup>  
 Volume: ..... 700 G / 2,650 L



Width: ..... 8' / 2.44 M  
 Length: ..... 8' / 2.44 M  
 Depth: ..... 3' 2" / 0.97 M  
 Area: ..... 44 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 550 G / 2,082 L



Width: ..... 7' 1" / 1.8 M  
 Length: ..... 6' 11" / 1.8 M  
 Depth: ..... 3' 3" / 0.99 M  
 Area: ..... 45 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 550 G / 2,082 L



Width: ..... 7' 1" / 1.8 M  
 Length: ..... 6' 11" / 1.8 M  
 Depth: ..... 3' 3" / 0.99 M  
 Area: ..... 45 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 550 G / 2,082 L



Width: ..... 7' / 2.13 M  
 Length: ..... 10' 3" / 3.12 M  
 Depth: ..... 3' 2" / 0.97 M  
 Area: ..... 43 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 700 G / 2,650 L



Width: ..... 8' / 2.44 M  
 Length: ..... 8' / 2.44 M  
 Depth: ..... 2' 11" / 0.89 M  
 Area: ..... 42 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 450 G / 1,703 L



Width: ..... 8' / 2.44 M  
 Length: ..... 8' / 2.44 M  
 Depth: ..... 3' / 0.91 M  
 Area: ..... 39 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 500 G / 1,893 L



Width: ..... 6' 10" / 2.08 M  
 Length: ..... 6' 10" / 2.08 M  
 Depth: ..... 3' / 0.91 M  
 Area: ..... 30 ft<sup>2</sup> / 3 M<sup>2</sup>  
 Volume: ..... 350G / 1,325 L



Width: ..... 6' 1" / 1.85 M  
 Length: ..... 6' 1" / 1.85 M  
 Depth: ..... 2' 11" / 0.89 M  
 Area: ..... 26 ft<sup>2</sup> / 2 M<sup>2</sup>  
 Volume: ..... 300 G / 1,136 L

# Your Backyard Oasis Wish List

ONE

Name: \_\_\_\_\_ Cell Phone: \_\_\_\_\_  
 Email: \_\_\_\_\_ Home Phone: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_




## Create Your Own Backyard Oasis

TWO

San Juan Swimming Pool Model: \_\_\_\_\_  
 Choice: \_\_\_\_\_  
 San Juan Spa Model: \_\_\_\_\_  
 Choice: \_\_\_\_\_

## Equipment Options

THREE

Pentair----- 	Pump _____	Fountains _____
Hayward----- 	Filter _____	Water Feature _____
Jandy----- 	Heater _____	Lighting _____
	UV/Ozone _____	Automation _____
	Salt System _____	Pool Cleaner _____

## Wish List Options

FOUR

- |   |                               |   |                                     |   |
|---|-------------------------------|---|-------------------------------------|---|
| <input type="checkbox"/> Winter Cover       | <input type="checkbox"/> Auto | <input type="checkbox"/> Volleyball         | <input type="checkbox"/> Basketball | <input type="checkbox"/> Water Falls/Sheer Descents |
| <input type="checkbox"/> Manual             |                               | <input type="checkbox"/> Diving Board       | <input type="checkbox"/> Slide      | <input type="checkbox"/> Flaming Caldrons           |
| <input type="checkbox"/> Leaf Cover         |                               | <input type="checkbox"/> Electric Heat Pump |                                     | <input type="checkbox"/> Fire Pits                  |
| <input type="checkbox"/> Solar Blanket      |                               | <input type="checkbox"/> Gas Heater         |                                     | <input type="checkbox"/> Outdoor Kitchen            |
| <input type="checkbox"/> Hand Rails/Ladders |                               | <input type="checkbox"/> Solar Heating      |                                     | <input type="checkbox"/> Patio Furniture            |
| <input type="checkbox"/> Tanning Ledge      |                               | <input type="checkbox"/> Water Fountains    | <input type="checkbox"/> Deck Jets  | <input type="checkbox"/> Landscaping/Hardscape      |
| <input type="checkbox"/> Swim System        |                               | <input type="checkbox"/> Bubblers           |                                     | <input type="checkbox"/> Irrigation                 |
|   |                               |   |                                     | <input type="checkbox"/> Sound System               |

FIVE

**INSTANT** Pool Estimate  
[www.artisticpoolscorp.com/fiberglass-pools-quote](http://www.artisticpoolscorp.com/fiberglass-pools-quote)



**100%**  
 Financing Available



<https://hfsfinancial.net/promo/SanJuanCorpUSA>



- Vancouver -



- Grande Spa -



# New Models for 2020



16' x 45'  
Daytona  
Beach  
8' deep



16' x 45'  
South  
Beach



16' x 37'  
Clearwater  
Beach




16' x 28'  
Huntington  
Beach




16' x 28'  
Barcelona  
Beach



16' x 41'  
Great Lakes  
Beach



16' x 37'  
Great Lakes



16' x 31'  
Lake Superior



16' x 26'  
Lake Michigan